

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Syntex- Verona

REGION VII 726 MINNESOTA AVENUE KANSAS CITY, KANSAS 66101

JUN 2 4 1988

MEMORANDUM

SUBJECT: Syntex, Verona/Denney MIS

FROM:

Glenn Curtis ALL REMD/SPFD

TO:

Files

On June 20, 1988, Ralph Hazel and I spoke with Joyce Purdeck, EPA-R&D, and Joe Tishanshy, Envirosponse, MIS site manager, regarding operations at the Denney Farm. The updated processed volumes are provided on the attached page.

The MIS has been operational since June 15. At midnight on Sunday, June 19, the unit was placed on hot standby to rework an auger conveyor that pushes incinerated materials back toward the entrance ram feed unit. In addition, bolts on the flange underneath the primary found to be loose and leaking air were tightened; the thermocouple was cleaned out. However, an additional leak is occurring at the front end of the primary. Repair of this leak will be conducted during the next major cool down period. In the mean time, the feed rate will be reduced to range between 2,000 - 3,000 pounds per hour. At 9:45 a.m. on Monday, June 20, feeding of material resumed.

Syntex, Verona, delivered three truck loads of soil on Friday and three on Monday. An additional load was expected on Monday. Storage is currently available at the MIS for an additional ten truck loads. All drums of residues have been treated, except four drums of "hot" liquids. In addition, numerous sample jars remain to be burned.

Persons on the call agreed to a daily call at approximately 7:50 a.m. Joyce agreed to initiate the call this week. will be out of the office Wednesday through Friday.

A short call on Tuesday morning, June 21, with the above persons, indicated an updated volume processed and the following information. An average feed rate of approximately 3,000 lbs/hr. is being achieved. A fourth load of soil was received from



SUPERFUND RECORDS

Verona on Monday afternoon. A national shortage of caustic is causing concern at the site. A 10-day supply is currently onsite with more on order. A reduced demand for caustic is expected since all of the high chlorine, "hot" residues have been treated.

In addition, on June 21, 1988, I spoke with Gary Kepco at the Verona site who relayed the following information. Approximately four loads of soil will be delivered on Tuesday; three to four loads will be piled onsite due to lack of storage at the MIS. Excavation will probably stop at the end of the day; further sampling will be conducted. Results have not been received on the NE buffer area.

Attachment

June 16, 1988

Denney Farm MIS Volume Processed

Date: <u>May</u>	Pounds(lbs) Processed	Total <u>Pounds</u>	Volume * -cu. yds
7 ~ 19		653,500	242.0
20 - 22	MIS down	for repair/maintenance	.
23 - 31		946,416	350.5
June			
1-2	MIS down	for repair/maintenance	2
3 (2 hrs.) 4 5 6 7	1,666 64,801 78,069 72,774 2,309	948,082 1,012,883 1,090,952 1,163,726 1,166,035	351.0 375.0 404.0 431.0 431.9
8-10	MIS down	for repair/maintenance	?
11 (1 hr.) 12 13-14 15 (13 hrs.) 16 17 18 19	26,234 64,765 50,080 49,385 41,123	1,167,879 1,217,987 for repair/maintenance 1,244,221 1,308,986 1,359,066 1,408,451 1,449,574	460.8 484.8 503.4 521.6 536.9
20 (14 hrs.) 21 (8 hrs.)	33,236 22,572	1,482,810 1,505,382	549.2 557.5

assumes 2,700 lbs/yd³

Yel/2 w

MIN 24 1538

MEMORANDUM

SUBJECT: Syntex, Verona/Denney MIS

FROM:

Glenn Curtis MK REMD/SPFD

TO:

Files

On June 20, 1988, Ralph Hazel and I spoke with Joyce Purdeck, EPA-R&D, and Joe Tishanshy, Envirosponse, MIS site manager, regarding operations at the Denney Farm. The updated processed volumes are provided on the attached page.

The MIS has been operational since June 15. At midnight on Sunday, June 19, the unit was placed on hot standby to rework an auger conveyor that pushes incinerated materials back toward the entrance ram feed unit. In addition, bolts on the flange underneath the primary found to be loose and leaking air were tightened; the thermocouple was cleaned out. However, an additional leak is occurring at the front end of the primary. Repair of this leak will be conducted during the next major cool down period. In the mean time, the feed rate will be reduced to range between 2,000 - 3,000 pounds per hour. At 9:45 a.m. on Monday, June 20, feeding of material resumed.

Syntex, Verona, delivered three truck loads of soil on Friday and three on Monday. An additional load was expected on Monday. Storage is currently available at the MIS for an additional ten truck loads. All drums of residues have been treated, except four drums of "hot" liquids. In addition, numerous sample jars remain to be burned.

Persons on the call agreed to a daily call at approximately 7:50 a.m. Joyce agreed to initiate the call this week. Ralph will be out of the office Wednesday through Friday.

A short call on Tuesday morning, June 21, with the above persons, indicated an updated volume processed and the following information. An average feed rate of approximately 3,000 lbs/hr. is being achieved. A fourth load of soil was received from

WSTM:SPFD:REMD:Curtis:du CUR1-31 6/21/88 REMD

REMD Curtis

€r Wright Cortis

F-23-88 6-22-88

M DEPM 16-23-88

Verona on Monday afternoon. A national shortage of caustic is causing concern at the site. A 10-day supply is currently onsite with more on order. A reduced demand for caustic is expected since all of the high chlorine, "hot" residues have been treated.

In addition, on June 21, 1988, I spoke with Gary Kepco at the Verona site who relayed the following information. Approximately four loads of soil will be delivered on Tuesday; three to four loads will be piled onsite due to lack of storage at the MIS. Excavation will probably stop at the end of the day; further sampling will be conducted. Results have not been received on the NE buffer area.

Attachment

June 16, 1988

Denney Farm MIS Volume Processed

Date: May	Pounds(lbs) Processed	Total Pounds	Volume * -cu. yds
7 - 19		653,500	242.0
20 - 22	MIS down	for repair/maintenance	<u>.</u>
23 - 31		946,416	350.5
June			
1-2	MIS down	for repair/maintenance	2
3 (2 hrs.) 4 5 6 7	1,666 64,801 78,069 72,774 2,309	948,082 1,012,883 1,090,952 1,163,726 1,166,035	351.0 375.0 404.0 431.0 431.9
8-10	MIS down	for repair/maintenance	2
11 (1 hr.) 12 13-14 15 (13 hrs.) 16 17 18 19 20 (14 hrs.) 21 (8 hrs.)	1,844 50,108 MIS down 26,234 64,765 50,080 49,385 41,123 33,236 22,572	1,167,879 1,217,987 for repair/maintenance 1,244,221 1,308,986 1,359,066 1,408,451 1,449,574 1,482,810 1,505,382	432.5 451.0 460.8 484.8 503.4 521.6 536.9 549.2 557.5

assumes 2,700 lbs/yd³